

Google scholar

"confirmed order" accuracy percentage

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)

Scholar

Articles and patents ▼

anytime ▼

include citations ▼

Results 1 - 10 of about 96. (0.18 sec)

Order-to-delivery process performance in delivery scheduling environments

H Forslund, P Jonsson, S ... - International Journal of ..., 2009 - demo1.emeraldinsight.com

... Lead time **accuracy**, or on-time delivery, is the extent to which the lead time, and as a consequence the delivery date, and the delivered quantity "at delivery" corresponds to what has been confirmed (eg ... It is often measured as the **percentage of confirmed order** lines delivered ...

[Related articles](#) - [All 8 versions](#)Radiopacity of tantalum-loaded acrylic bone cement

C Persson, L Guandalini, F Baruffaldi, L ... - Proceedings of the ..., 2006 - Prof Eng Publishing

... density range of 0–4.50 with an **accuracy** of  $\pm 0.02$  at ... To determine the radiopacifying effect of Ta compared with BS, the average of the **percentage** difference in CI values was ... water gave the same, statistically **confirmed, order** in radiopacity as for the film with the specimens ...

[Cited by 5](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)[PDF] ► ORDER COMBINATION METHODOLOGY FOR SHORT-TERM LOT PLANNING AT ...

MA Kramer - 1991 - dspace.mit.edu

... The properties of aluminum can be dramatically altered by adding a small **percentage** of an alloying element. ... I Process Planner - finalizes short-term plan - starting stock selection - processing path verified - ingot size **confirmed - order** combinations assigned I Scheduling of ...

[All 2 versions](#)[PDF] ► Current issues in dissociative identity disorder

RP Kluff - Journal of Practical Psychiatry and Behavioral Health, 1999 - psyter.org

... Instead, the **percentage** of DID found in surveys of ... and explore traumata that are disclosed by the DID had occurred and that both **accurate** recovered memories ... flying circus" of dissociative phenomena in many recovered memories of trauma could be **confirmed order** to take the ...

[Cited by 26](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)The von Restorff effect and induced amnesia: Production by manipulation of sound ...

DK Detterman - Journal of Experimental Psychology, 1975 - psycnet.apa.org

... Figure 1 shows the **percentage** of correct responses recalled by serial position for experimental and control lists and instructional condition for the first block of lists. ... Figure 2 shows the **percentage** of correct responses for the important conditions of this experiment. ...

[Cited by 22](#) - [Related articles](#) - [All 4 versions](#)[PDF] ► Utilizing simulation technology for competency skills assessment and a ...

RPT RRT, MHC RRT, AJA RRT, DFN RRT, RRT Edgar ... - Respiratory care, 2007 - rcjournal.com

... 1. Reviewed and **confirmed order** for mini-BAL 2. Confirmed that hematology results were within established thresholds 3 ... **Percent** Who Selected This Answer Before Training After Training ... The safety and diagnostic **accuracy** of minibronchoalveolar lavage in patients with ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 3 versions](#)System and method for an automated sales system with remote negotiation and ...

JD Nathanson - US Patent App. 10/876,675, 2004 - Google Patents

... Sheet 8 of 16 US 2006/0015435 AI SYSTEM SETTINGS "AUTO- REJECT BID" FEATURE 605 615 MINIMUM **PERCENTAGE** OF LIST ... 19,2006 Sheet 14 of 16 US 2006/0015435 AI "SALES PENDING - ORDERS- SECTION 850 **CONFIRMED ORDER** 802 ORDER NUMBER ...

[All 2 versions](#)Production operation system-key performance indicator - ► usq.edu.au [PDF]

CP Lian - 2006 - eprints.usq.edu.au

... Surveying, and the staffs of the University of Southern Queensland, do not accept any

12/19/2009

"confirmed order" accuracy percentage...

responsibility for the truth, **accuracy** or completeness of material contained within or associated with this dissertation. ... **accuracy** of the performance measurements. ...

[View as HTML](#) - [All 2 versions](#)

[book](#) [Purchase Order Management Best Practices: Process, Technology, and Change ...](#)

EH Sabri, AP Gupta, MA Beitler - 2006 - [books.google.com](#)

Page 1. PURCHASE ORDER MANAGEMENT BEST PRACTICES roc and Change

Management Ehap H. Sabri Arun P. Gupta Michael A. Beitler Page 2. Page 3. READ

THE REVIEWS "This book provides a comprehensive understanding ...

[Related articles](#)

[Automatic generation of test-beds for pre-deployment qos evaluation of web ...](#) - [inria.fr](#) [PDF]

A Bertolino, G De Angelis, A Polini - ... of the 6th international workshop on ..., 2007 - [portal.acm.org](#)

... Constraints on services availability can be declared by means of a **percentage** index into the Service ... In particular, it inter- acts with a customer canceling a previously **confirmed order**, and with a ... **Accuracy** of Performance Prediction for EJB Applications: A Statistical Analysis. ...

[Cited by 5](#) - [Related articles](#) - [All 4 versions](#)

Google

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google